

Table I-4
Soil Legend and Hydrologic Soil Group (HSG)

Description	HSG
Burchard-Nodaway complex, 2 to 30% slopes	B
Burchard clay loam, 6 to 11% slopes	B
Cold-Nodaway silty clay loams, 0 to 2% slopes	B/D
Crete silty clay loam, terrace, 1 to 3% slopes	D
Dickinson fine sandy loam, 6 to 11% slopes	A
Hedville sandy loam, 6 to 30% slopes	D
Judson silt loam, 2 to 6% slopes	B
Kennebec silt loam, 0 to 2% slopes	B
Mayberry silty clay loam, 2 to 11% slopes, eroded	D
Morrill clay loam, 6 to 11% slopes	B
Nodaway silt loam, 0 to 2% slopes	B
Nodaway silt loam, channeled	B
Pawnee clay and clay loam, 2 to 11% slopes, eroded	D
Salmo silt clay and silty clay loam, 0 to 2%	C/D
Sharpsburg silty clay loam, 2 to 9% slopes and eroded	B
Shelby clay loam, 6 to 11% slopes	B
Steinauer loam and clay loam 6% to 40% slopes	B
Wabash silty clay, 0 to 11% slopes	D
Wymore silty clay loam, 0 to 11% slopes	D
Zook silt loam and silty clay loam, 0 to 2% slopes	C/D